

a plan-design for the rural landscapes
ecological amelioration
and
its GIS Decision Support System



is the result of a landscape amelioration planning process, based on the (re) introduction or the improving of the agroforestry systems (hedgerows, linear forests, buffer zones, woodlots...) in a rural or suburban landscape

the final output is a GIS based map, that displays both planned and existing agroforestry systems (and their associated ecological, social and economic databases), and a technical report



- a series of design solutions are proposed for each planned new agroforestry system, that
 - are the most adapted to the pedo-environmental site condition
 - •offer to the land owner a range of functional solutions (maximizing the timber production, or the crop wind protection, or the overall aesthetic value of the site, etc.)



the analysis and the design are driven by a GIS Decision Support System (PLANLAND©®) that

- allows quali-quantitative evaluations of the designed solution
- allows a multi scalar comparison of the impactsfrom the farm to the landscape level
- results transparent in the elaboration process and in the outputs

- the evaluation account for
 - the agroforestry and crops incomes
 - the non point source pollution control
 - the windbreak effect
 - the landscape perceptive effect induced by the planning/design process
 - the influence on biodiversity (indirect inference)



what are the advantages of the "Progetto Siepi©"

the evaluations are based on ecological,
 environmental, economic, agronomic and ownership
 geo-referred information

each land transformation is based on site constrains, on design solutions, and on verified relations between them

all these relation are scientifically supported and tested



what are the advantages of the "Progetto Siepi©"

- wit does not try to rule the land use by means urban standards, that:
 - were developed to rule the urban building but are inadequate to imitate the whole processes of an ecosystems mosaic
 - tend to generate, trying to imitate this complexity, intricate rules' systems often complicated or vexing



the "Progetto Siepi©" and the ecological network planning in rural areas

whe "Progetto Siepi©" and the DSS used to implement it (PLANLAND©®) can contribute to the ecological network planning in rural areas, in the perspective of the new EU *rural development* policy incentives


the planning response to the rural development policy goals are based on a strongly scientific and verifiable approach




how it enters in the global landscape planning process

- *it can be a structural element of a specific local planning tool (at the county, municipality or province scale), or it can be used as a module in a wider spatial planning process
- it can be joint in a second moment to an existing plan
- the regulation bodies on rural landscape with a single rule that refers to the "Progetto Siepi®" for the suggested landscape transformations
- it can be constantly adapted and updated
















the research about PLANLAND©®

the papers

Franco D., M. Perelli e M. Scattolin. 1996. Buffer strips to protect the Venice Lagoon from non-point source pollution. In: Proceeding of International Conference on Buffer Zones: Their the Processes and Potential in Water Protection. Heythrop Park, UK, August-September 1996. in litteris. http://web.tiscalinet.it/m_perelli/heda.htm

Franco D. 1997 La procedura PLANLAND®: un nuovo strumento per l'analisi e la progettazione paesistica. Acer,1/97 - Acer,3/97.

Franco D. 1997.La planification des reseaux de haies dans le paysage rural: les besoins d'une approche en termes d'ecologie du paysage. In: Proceedings of "L'arbre en reseau". Rennes. France. 24-25 September 1997.

Franco D. 1997. Planning of windbreaks and hedgerow network in rural landscapes. In: Proceedings of "Landscape Ecology: things to do ". Amsterdam, The Nederlands, 6-10 October 1997.

Franco D., 1998. Hedgerows and non point source pollution: field test and landscape planning. In: In: Key concepts in Landscape Ecology. Dover J.W., Bunce R.G.H., 1998. IALE UK Colin Cross Printers Ltd, Garstang UK

Franco D., Perelli M., Scattolin M., 1999. Agroforestazione e controllo dell'inquinamento diffuso. Estimo e Territorio, 6 (62): 25-37.

Franco D., Zanetto G., Mannino I., 1999. An assessment of the agroforestry-network role on the socio-economic and cultural processes in the Venice landscape. Proceeding of 5th World Congress, International Association for Landscape Ecology Snowmass Village, Colorado, U.S.A., July 29-August 3, 1999.

Franco D., Franco David, Mannino I., Zanetto G., 2001. The role of agroforestry networks in the landscape socioeconomic processes: the potentiality and limits of contingent valuation method. Landscape and Urban Planning 4 (55):239-256.

Franco D., 2002. The scale and pattern influences on the hedgerow network's effect on landscape processes: first consideration about the need to plan for landscape amelioration purposes. . Environmental Management and Health, 13: 263-276

Franco D., Franco David, Mannino I., Zanetto G., 2003. The impact of agroforestry networks on scenic beauty estimation: the role of a landscape ecological network on a socio-cultural process, Landscape and Urban Planning, 3(62):119-138

Franco D., 2004. Ecological networks: the state of the art from a landscape ecology perspective in the national framework (invited lecture) In: atti del 40° Corso di Cultura in Ecologia; Giugno 2004 - Centro Studi per l'Ambiente Alpino dell'Università degli Studi di Padova (San Vito di Cadore, Belluno) Reti ecologiche: una chiave per la conservazione e la gestione dei paesaggi frammentati. http://www.tesaf.unipd.it/Sanvito/atti.htm

Franco D., Bombonato A., Ghetti P.F., Mannino I., Zanetto G., 2005. The evaluation of a planning tool through the landscape ecology concepts and methods. Management of Environmental Quality: An International Journal 1(16): 55-70


not publishd works

Pierini A., 2000. Effetti della struttura dei paesaggi agrari sulla biodiversità. Tesi di Laurea specialistica. Università degli studi di Venezia - Dipartimento di Scienze Ambientali

Bortolaso M., 2003. Un programma di ricerca sul paesaggio rurale e le reti ecologiche agroforestali: analisi bibliografica di metodi e temi emergenti. Tesi di Laurea specialistica. Università degli studi di Venezia - Dipartimento di Scienze Ambientali

Favero L., 2004. La gestione delle qualità delle acque a scala di bacino: l'ecologia del paesaggio come approccio Tesi di Laurea specialistica. Università degli studi di Venezia - Dipartimento di Scienze Ambientali

p | a n | a n d ®®



the PLANLAND©® Decision Support

System
Main objectives

To optimize the comprehension (order of visual elements, patches and corridors) the readabilty (possible paths finding), the perspective/refuge distribution and the big trees presence in the landscape To maximize the heterogeneity and complexity/ mystery of the landscape, balancing the genius loci and the perceptive unity/diversity.

To optimize the patches shape/dimension and corridor distribution (i) to minimize management costs and lost of income, (ii) to maximise micro-climatic functions and wildlife conservation

To maximize the nearness and density of the vegetated patches and the connection and circuitry of vegetated corridors, maintaining a visual balance of the empty/ solid volumes between 1/3 and 2/3

To maximize the ecotopes compositive and structural complexity, usable for a cost/benefit balance (environmental, economic)

To maximize the hydrological functions of the ecological network, and the perceptive presence of water

Secondary objectives


To optimize the patches size (i) to create stepping stones, (ii) to develop ecotones To allow at least two escape ways out in every corridor node


To optimize the patches distribution in order to obtain (i) inter patch distances covered by the rare species, (ii) distance not grater than 1 km


To maximize the margins circumvolution, iso-diametricity and width of wooded patches



























the evaluation / design step


*starting from the spatial distribution of the geo-referred data about the ecological, socio-economic and environmental characteristics, it is possible by means of a set of indicators


(http://www.danielfranco.org/indicatorieng.pdf) to evaluate the landscape status (at different scale) from the ecological, socio-economic, cultural perspective


the comparisons of the information given by the indicators about current landscape status and the design/plan status, allows to verity the impact at the site or landscape scale of the planned landscape transformations, and the planning goals attainment














the design step *for the species selection in the plantation design schemes PLANLAND©® uses the SPECIE module, that runs a hierarchical query of the (ecological, cultural, etc.) species demands versus the pedoenvironmental conditions (GEO layer) the module can support the best selection of the species and/or the plantation design schemes characteristics, that range form light preference to allopathy



the design step

MAIN FUNCTIONS	TYPE	GROWING	SOCIAL BEHAVIOUR	TRATEMENT	ECOLOGY
timber	Multistoried multiline	10-20m ³ /ha/y	not tollerant	high stand	soil quality
	hedgerow (coppiced and				
	high stand tratement)				
pest control	multistoried oneline	5-10 m3/ha/y	tollerant	coppiced	soil deepness
	hedgerow (coppiced and				
	high stand tratement)				
honey	multistoried multiline	>5 m ³ /ha/y	aggressive	tall coppiced	water table
	hedgerow (coppiced				
	tratement)				
hydrology	multistoried oneline		adaptable		soil texture
	hedgerow (coppiced				
	tratement)				
thorny	4th size tree		buffer species		drainage/hydr. risk
beauty	3rd size tree		comments		soil salinity
fruits	2nd size tree				soil hydrom.
toxic	1st size tree				soil pH
nitrogen fixation	2nd size shrub				sun
banks stability	1st size shrub				climate
pioneer species	leaves				salt tollerance
windbreak efficency	deciduos				atmospheric pollution
					tollerance
noise abatement efficency	evergreen				
	partially deciduos				
	marcescent				



conclusions

trade off among conflicting landscape planning goals

to use a integrated "twin engines" for the evaluation and the decision, coherently connected in a single procedure by means of a GIS supported scenarios' simulation



